

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: Keisha Douglas

Timestamp: [year=2007; month=12; day=29; hr=12; min=36; sec=37; ms=744;
]

=====

Application No: 10590897

Version No: 1.1

Input Set:

Output Set:

Started: 2007-12-29 12:35:41.795

Finished: 2007-12-29 12:35:42.999

Elapsed: 0 hr(s) 0 min(s) 1 sec(s) 204 ms

Total Warnings: 53

Total Errors: 0

No. of SeqIDs Defined: 55

Actual SeqID Count: 55

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
W 213	Artificial or Unknown found in <213> in SEQ ID (20)

Input Set:

Output Set:

Started: 2007-12-29 12:35:41.795
Finished: 2007-12-29 12:35:42.999
Elapsed: 0 hr(s) 0 min(s) 1 sec(s) 204 ms
Total Warnings: 53
Total Errors: 0
No. of SeqIDs Defined: 55
Actual SeqID Count: 55

Error code

Error Description

This error has occurred more than 20 times, will not be displayed

W 251

Found intentionally skipped sequence in SEQID (35)

SEQUENCE LISTING

<110> Kidum R&D Applications Unit, State of Israel, Ministry of
Agricultural Research Organization, Volcani Center

<120> ENZYMES, CELLS AND METHODS FOR ASYMMETRIC RECOMBINATION

<130> Kidum/005 PCT

<140> 10/590897

<141> 2006-08-28

<150> US 60/547436

<151> 2004-02-26

<160> 55

<170> PatentIn version 3.3

<210> 1

<211> 8

<212> DNA

<213> Artificial

<220>

<223> mutant loxP spacer

<400> 1

acgtatgc

8

<210> 2

<211> 8

<212> DNA

<213> Artificial

<220>

<223> Mutant LoxP spacer

<400> 2

aagtatgc

8

<210> 3

<211> 8

<212> DNA

<213> Artificial

<220>

<223> Mutant LoxP spacer

<400> 3

aggtatgc

8

<210> 4

<211> 8

<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP site

<400> 4
atatatgc 8

<210> 5
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 5
atctatgc 8

<210> 6
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 6
atttatgc 8

<210> 7
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant Lox P spacer

<400> 7
atgcatgc 8

<210> 8
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 8
atgaatgc 8

<210> 9
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 9
atggatgc

8

<210> 10
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 10
atgtgtgc

8

<210> 11
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 11
atgtttgc

8

<210> 12
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 12
atgtctgc

8

<210> 13
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 13
atgtacgc 8

<210> 14
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 14
atgtaggc 8

<210> 15
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 15
atgtatac 8

<210> 16
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 16
acgtatgc 8

<210> 17
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 17
aagtatgc 8

<210> 18
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 18
aggtatgc 8

<210> 19
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 19
atgtatac 8

<210> 20
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 20
atgtatcc 8

<210> 21
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 21
atgtattc 8

<210> 22
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 22
acgtatac 8

<210> 23
<211> 8

<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 23
atatatac 8

<210> 24
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 24
atgcatac 8

<210> 25
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 25
atgtgtac 8

<210> 26
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 26
aagtatcc 8

<210> 27
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 27
atctatcc 8

<210> 28
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 28
atgaatct

8

<210> 29
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 29
atgtttcc

8

<210> 30
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 30
agttattc

8

<210> 31
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 31
atttatac

8

<210> 32
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 32
atggattc 8

<210> 33
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 33
atgtcttc 8

<210> 34
<211> 8
<212> DNA
<213> Artificial

<220>
<223> Mutant LoxP spacer

<400> 34
atgtatgc 8

<210> 35

<400> 35
000

<210> 36
<211> 46
<212> DNA
<213> Bacteriophage P1

<220>
<221> misc_feature
<222> (1)..(6)
<223> XhoI - restriction site

<220>
<221> misc_feature
<222> (41)..(46)
<223> BamH1 - restriction site

<400> 36
ctcgagataa cttcgtatag catacattat acgaagttat ggattc 46

<210> 37
<211> 46
<212> DNA
<213> Bacteriophage P1

<220>
<221> misc_feature
<222> (1)..(6)
<223> EcoR1-restriction site

<220>
<221> misc_feature
<222> (41)..(46)
<223> Pst1-restriction site

<400> 37
gaattcataa cttcgtatag catacattat acgaagttat ctgcag

46

<210> 38
<211> 46
<212> DNA
<213> Artificial

<220>
<223> a symmetric recombination site containing mutant loxM7
palindromic repeats

<220>
<221> misc_feature
<222> (1)..(6)
<223> Xho1-restriction site

<220>
<221> misc_feature
<222> (41)..(46)
<223> BamH1-restriction site

<400> 38
ctcgagataa ctctatatag catacattat atagagttat ggattc

46

<210> 39
<211> 46
<212> DNA
<213> Artificial

<220>
<223> a symmetric recombination site containing mutant loxM7
palindromic repeats

<220>
<221> misc_feature
<222> (1)..(6)
<223> EcoR1-restriction site

<220>
<221> misc_feature

<222> (41)..(46)
 <223> PstI-restriction site

<400> 39
 gaattcataa ctctatatag catacattat atagagttat ctgcag 46

<210> 40
 <211> 46
 <212> DNA
 <213> Artificial

<220>
 <223> an assymmetric recombination site containing one half of mutant
 loxM7 and another half of WT LoxP (non-palindromic repeats)

<220>
 <221> misc_feature
 <222> (1)..(6)
 <223> XhoI-restriction site

<220>
 <221> misc_feature
 <222> (41)..(46)
 <223> BamHI-restriction site

<400> 40
 ctcgagataa cttcgtatag catacattat atagagttat ggattc 46

<210> 41
 <211> 46
 <212> DNA
 <213> Artificial

<220>
 <223> an assymmetric recombination site containing one half of mutant
 loxM7 and another half of WT LoxP (non-palindromic repeats)

<220>
 <221> misc_feature
 <222> (1)..(6)
 <223> EcoRI-restriction site

<220>
 <221> misc_feature
 <222> (41)..(46)
 <223> PstI-restriction site

<400> 41
 gaattcataa cttcgtatag catacattat atagagttat ctgcag 46

<210> 42
 <211> 34

<212> DNA
 <213> Artificial

 <220>
 <223> loxM7 (Santoro et al., 2002, Proc. Natl. Acad. Sci. USA, 99: 4185-4190, 2002).

 <400> 42
 ataactctat atagcataca ttatatagag ttat 34

 <210> 43
 <211> 34
 <212> DNA
 <213> Artificial

 <220>
 <223> an asymmetric recombination site consisting of one half of loxP WT and one half of loxM7 (Santoro et al., ibid)

 <400> 43
 ataacttcgt atagcataca ttatatagag ttat 34

 <210> 44
 <211> 34
 <212> DNA
 <213> Artificial

 <220>
 <223> an asymmetric recombination site consisting of one half of loxP WT and one half of loxM7 (Santoro et al., ibid)

 <400> 44
 ataactctat atagcataca ttatacgaag ttat 34

 <210> 45
 <211> 34
 <212> DNA
 <213> Artificial

 <220>
 <223> mutant LTR site (LTR1)

 <400> 45
 tcaagttagt accgttcaac tggactaac ttga 34

 <210> 46
 <211> 34
 <212> DNA
 <213> Artificial

 <220>
 <223> mutant LTR recombination site (LTR2)

<400> 46
tctacttgct ctgggtcaac tcagagcaag taga 34

<210> 47
<211> 34
<212> DNA
<213> Artificial

<220>
<223> mutant LTR recombination site

<400> 47
ataacttagt accgcataca tggtagtaag ttat 34

<210> 48
<211> 34
<212> DNA
<213> Artificial

<220>
<223> mutant LTR recombination site

<400> 48
tcaagttcgt atagcataca ttatacgaac ttga 34

<210> 49
<211> 34
<212> DNA
<213> Artificial

<220>
<223> mutant LTR recombination site

<400> 49
ataacttgct ctggcataca tcagagcaag ttat 34

<210> 50
<211> 34
<212> DNA
<213> Artificial

<220>
<223> mutant LTR recombination site

<400> 50
tctacttcgt atagcataca ttatacgaag taga 34

<210> 51
<211> 34
<212> DNA
<213> Artificial

<220>
 <223> mutant LTR recombination site

 <400> 51
 tcaacttcgt atagcatata ttatacgaag ttga 34

 <210> 52
 <211> 34
 <212> DNA
 <213> Artificial

 <220>
 <223> mutant LTR recombination site

 <400> 52
 ataagttagt atagcatata ttataactaac ttat 34

 <210> 53
 <211> 34
 <212> DNA
 <213> Artificial

 <220>
 <223> mutant LTR recombination site

 <400> 53
 ataacttcgt accgcatata tggtagcaag ttat 34

 <210> 54
 <211> 34
 <212> DNA
 <213> Artificial

 <220>
 <223> mutant LTR recombination site

 <400> 54
 ataacttgct atagcatata ttatagcaag ttat 34

 <210> 55
 <211> 34
 <212> DNA
 <213> Artificial

 <220>
 <223> mutant LTR recombination site

 <400> 55
 ataacttcgt ctggcatata tcagacgaag ttat 34